


WWSK

Mobile axle weighing kit "WWSK" series



Specific Kit for the manual static weighing of axles. It is composed by two portable wheel weighing platforms WWS series and by the touch screen weight indicator 3590ETKR series, with integrated printer. The user interface is clear, simple and intuitive and displays in real time the weight of the axle, the total weight, the tare and the identification code of the vehicle. The ticket reports all the weight data, in order to facilitate registration and traceability.

CHARACTERISTICS OF THE PLATFORMS

- Sturdy structure, made in special aluminium, which guarantees lightness and makes them suitable also for harsh working conditions.
- Cable with quick connector, platform side.
- 10 m cable for connecting the platform to the indicator, complete with connectors.
- IP68 stainless steel load cells.
- Hermetic junction box with IP68 protection degree.
- Special vulcanised nonslip rubber applied under the platform for good grip on all surfaces.
- Very simple and reliable connection between platforms and weight indicator.
- IP68 protection, with IP68 connectors and PUR cables as standard.
- Wheels for the transport and the positioning (only for "WWSEKxx" kit)
- WWS platforms are patented with the number 1.342.302.

TECHNICAL FEATURES OF THE INDICATOR IN THE CASE

- ABS transport case, with housing for the indicator and space for extra accessories.
- Touch screen weight indicator complete with printer, connectors for platforms.
- Backlit touch screen display (lxh=120x90mm). Specific layout for axle weighing.
- Multilingual software.
- Available touch screen keyboards: QWERTY, AZERTY or QWERTZ.
- Dimensions: 325x460x170mm. Weight: circa 5kg.
- Attached thermal printer as standard.
- Real time clock and permanent data storage.
- Built-in rechargeable battery (10-hour minimum operating time).


For further technical information, please refer to the data sheet of the indicator 3590ETKR.

FUNCTION MODES

- Manual static wheel/axle totalisation.
- Printing of axle total weight.
- Weighing with predetermined tare.
- Database of 500 customers.
- Simple printout.
- Multiple Printing.
- · Last printout copy.

DETAIL 1

DETAIL 2





VERSIONS

Available versions				
	l x w x h	Piatto	Max	d
Codice	(mm)	Max (mm)	(kg)	(kg)
WWSCK12	2 x (511 x 554 x 58mm)	2 x (500 x 400mm)	12000	5
WWSEK30	2 x (755 x 561 x 58mm)	2 x (700 x 450mm)	30000	10
WWSDK30	2 x (954 x 611 x 58mm)	2 x (900 x 500mm)	30000	10





DINI ARGEO FRANCE sarl Nogent-sur-Marne info.fr@diniargeo.com DINI ARGEO GMBH Sinsheim - Germany info.de@diniargeo.com DINI ARGEO
UK Ltd
Taunton - United Kingdom
info.uk@diniargeo.com

DINI ARGEO WEIGHING INSTRUMENTS Ltd Shanghai - China info.cn@diniargeo.com DINI ARGEO WEIGHBRIDGES Calto (RO) – Italy info@diniargeo.com



HEAD OFFICE

Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418 Fax. +39.0536 843521 info@diniargeo.com

SERVICE ASSISTANCE

Via Dell'Elettronica, 15 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 921784 Fax. +39.0536 926654 service@diniargeo.com













+974 4491 0788



www.qatarscales.com scales@qatar.net.qa



P.O.Box: 16139, Al Jazeera St, Doha - Qatar